

	Additive cleaning for the maintenance of membrane filters			
E	Powerful cleaning	Membrane filtration	CIP Soaking	Performance
N Z	Application	Powerful additive recommended for powerful mineral fouling containing silica, copper, iron, magnesium, manganese, calcium. → Concentrated formulation in dispersal and chelate agents. → Formulation specifically adapted for fouling with mineral origin.		
Z Y	Use	Installation of membrane filtration		
W	Dosage / Instructions	0,2% <u>Closed circuits – CIP</u> : → Add Enzywine A4 after having adjusted the pH at 10,5. Let circulate in the installation during 30 minutes at a température of 45- 50°C.		
IN E	For specific foulings containing iron with a pH of 3. → Rinse the installation.			solution must be adjusted
	Active Matters	Among others : Dispersal agent Sequestrant		
A 4	Physical- Chemical Properties	Aspect pH Volume massa	Liquid 10,7±0,5 1,30±0,05 kg/l	

Aspect	Liquid	
рН	10,7±0,5	
Volume massa	1,30±0,05 kg/l	



N Z Y

Ν

Precautions

Product developed for professional use only. It is recommended to use the product for the applications defined here above.

For more information on our product, we invite you to consult the safety data sheet that can be provided to you on a simple request.

Article code Packaging Palletization LIQ1188 1 x 25 L 24 cans / pallet

Storage

Storage in the packing of origin closed, between +4°C and +25°C.

